



- Aluminium Gehäuse
- Acryllinse
- Ein / Aus Schalter
- Lieferbar in verschiedenen Längen, jede Länge optional mit 1, 2 oder 3 LED Reihen

Technische Daten







Leuchtmittel:	LED
Leistung:	540 bis 3240 Lumen
Spannung:	12 bis 24 V DC
Befestigung:	Klebefunkte

Art-Nr.:	Typ:	Maße in mm:	Lumen:	LED's:
102190	C2-80-137	367 x 28 x 13,2	540	27 SMD
102191	C2-80-157	570 x 28 x 13,5	900	45 SMD
102192	C2-80-197	970 x 28 x 13,5	1620	81 SMD
102193	C2-80-237	370 x 45 x 16,5	720	36 SMD
102194	C2-80-257	570 x 45 x 16,5	1200	60 SMD
102195	C2-80-297	970 x 45 x 16,5	2160	108 SMD
102196	C2-80-337	370 x 65 x 16,5	1080	54 SMD
102197	C2-80-357	570 x 65 x 16,5	1800	90 SMD
102198	C2-80-397	970 x 65 x 16,5	3240	162 SMD

Innenraumleuchte C2 - 80

Stand: 21.04.2022







1. LED Reihe



Innenraumleuchte C2 - 80

Stand: 21.04.2022

2. LED Reihe



3. LED Reihe

